ELSEVIER

Available online at www.sciencedirect.com

SCIENCE DIRECT®

Discrete Mathematics 270 (2003) 347–359

DISCRETE MATHEMATICS

www.elsevier.com/locate/disc

Master index to volumes 261–270

Abel, R.J.R. and B. Du, The existence of three idempotent IMOLS	262	(2003)	1– 16
Abel, R.J.R., M. Greig and D.H. Rees, Existence of OBIBDs with $k = 4$ with and without nesting	266	(2003)	3– 36
Abel, R.J.R., N.J. Finizio and M. Greig, (3,6) GWhD(v)—existence results	261	(2003)	3– 26
Abel, R.J.R., N.J. Finizio, M. Greig and S.J. Lewis, Generalized whist tournament designs	268	(2003)	1– 19
Adachi, T., M. Jimbo and S. Kageyama, Combinatorial structure of group divisible designs without α-resolution classes in each group	265	(2003)	1– 11
Ahn, J., H.K. Kim, J.S. Kim and M. Kim, Classification of perfect linear codes with crown poset structure	268	(2003)	21– 30
Ait Haddadene, H. and M. Mechebbek, On the quasi-locally paw-free graphs	266	(2003)	37– 40
Akbari, S., Two conjectures on uniquely totally colorable graphs	266	(2003)	41– 45
Aldred, R.E.L., D.A. Holton, D. Lou and A. Saito, M-alternating paths in n-extendable bipartite graphs	269	(2003)	1– 11
Aldred, R.E.L., J. Širáň and M. Širáň, A note on the number of graceful labellings of paths	261	(2003)	27– 30
Alejandro, P.P., R.A. Bailey and P.J. Cameron, Association schemes and permutation groups	266	(2003)	47– 67
Alekseev, V.E. and V.V. Lozin, Independent sets of maximum weight in (p, q)-colorable graphs (Note)	265	(2003)	351–356
Alon, N., G. Fertin, A.L. Liestman, T.C. Shermer and L. Stacho, Factor d-domatic colorings of graphs	262	(2003)	17– 25
Ananchuen, N. and A. Saito, Factor criticality and complete closure of graphs	265	(2003)	13– 21
Anderson, I. and D.A. Preece, Power-sequence terraces for $\mathbb{Z}_n$ where n is an odd prime power	261	(2003)	31– 58
Ando, K. and K. Kawarabayashi, Some forbidden subgraph conditions for a graph to have a k-contractible edge	267	(2003)	3– 11
Ando, K., M. Hagita, A. Kaneko, M. Kano, K. Kawarabayashi and A. Saito, Cycles having the same modularity and removable edges in 2-connected graphs	265	(2003)	23– 30
Armanious, M.H., Semi-planar Steiner loops of cardinality $2n$	270	(2003)	291–298
Assem, I., M.I. Platzeck, M.J. Redondo and S. Trepode, Simply connected incidence algebras	269	(2003)	333–355
Axenovich, M.A., On multiple coverings of the infinite rectangular grid with balls of constant radius	268	(2003)	31– 48
Bailey, R.A., M.A. Ollis and D.A. Preece, Round-dance neighbour designs from terraces	266	(2003)	69– 86
Bailey, R.A., see P.P. Alejandro	266	(2003)	47– 67
Balakrishnan, R., J.-C. Bermond, P. Paulraja and M.-L. Yu, On Hamilton cycle decompositions of the tensor product of complete graphs	268	(2003)	49– 58
Balbuena, C. and D. Ferrero, Edge-connectivity and super edge-connectivity of P_2-path graphs	269	(2003)	13– 20
Balbuena, C., see I. Pelayo	267	(2003)	229–246
Balbuena, C., see X. Marcote	266	(2003)	311–320

0012-365X/03/$ - see front matter
doi:10.1016/S0012-365X(03)00333-9

Banković, D., Distance in post algebras (Note) 263 (2003) 269–274
Bannai, E., A. Munemasa, S. Song and P. Terwilliger, Preface 264 (2003) 1– 1
Batten, L.M. and S. Sane, Permutations with a distinct difference property 261 (2003) 59– 67
Bau, S. and M.A. Henning, Matching transformation graphs of cubic bipartite plane graphs 262 (2003) 27– 36
Bean, R. and E.S. Mahmoodian, A new bound on the size of the largest critical set in a Latin square 267 (2003) 13– 21
Bedford, D., see D.R. Woodall 266 (2003) 1– 2
Bekmetjev, A., G. Brightwell, A. Czygrinow and G. Hurlbert, Thresholds for families of multisets, with an application to graph pebbling 269 (2003) 21– 34
Benkouar, A., Y. Manoussakis and R. Saad, The number of 2-edge-colored complete graphs with unique hamiltonian alternating cycle 263 (2003) 1– 10
Bennett, F.E., B. Du and H. Zhang, Existence of self-orthogonal diagonal Latin squares with a missing subsquare 261 (2003) 69– 86
Bermond, J.-C., see R. Balakrishnan 268 (2003) 49– 58
Betsumiya, K., S. Georgiou, T.A. Gulliver, M. Harada and C. Koukouvinos, On self-dual codes over some prime fields 262 (2003) 37– 58
Betten, A., D. Betten and V.D. Tonchev, Unitals and codes 267 (2003) 23– 33
Betten, D., see A. Betten 267 (2003) 23– 33
Bey, C., An upper bound on the sum of squares of degrees in a hypergraph 269 (2003) 259–263
Bichara, A., D. Ghinelli, G. Lunardon and F. Mazzocca, Preface 267 (2003) 1– 2
Bichara, A., H. Havlicek and C. Zanella, On linear morphisms of product spaces 267 (2003) 35– 43
Bielak, H., Local Ramsey numbers for some graphs 266 (2003) 87– 99
Billington, E.J. and D.G. Hoffman, Decomposition of complete tripartite graphs into gregarious 4-cycles 261 (2003) 87–111
Blok, R.J. and A. Pasini, On absolutely universal embeddings 267 (2003) 45– 62
Blokhuis, A. and A.E. Brouwer, The universal embedding dimension of the binary symplectic dual polar space 264 (2003) 3– 11
Bode, J.-P., H. Harborth and M. Harborth, King independence on triangle boards 266 (2003) 101–107
Bokler, M., Lower bounds for the cardinality of minimal blocking sets in projective spaces 270 (2003) 13– 31
Bollobás, B. and A. Sarkar, Paths of length four (Note) 265 (2003) 357–363
Bonato, A., Homomorphisms and amalgamation 270 (2003) 33– 42
Bonnecaze, A., Y. Choie, S.T. Dougherty and P. Solé, Splitting the shadow 270 (2003) 43– 60
Booth, R.F., M.L. Moreira and M.R. Pinto, A circuit axiomatisation of Lagrangian matroids 266 (2003) 109–118
Borovićanin, B., S. Grünewald, I. Gutman and M. Petrović, Harmonic graphs with small number of cycles 265 (2003) 31– 44
Böttcher, M. and U. Knauer, Postscript: "Endomorphism spectra of graphs" [Discrete Mathematics 109 (1992) 45–57] 270 (2003) 329–331
Brightwell, G., see A. Bekmetjev 269 (2003) 21– 34
Brodsky, A., S. Durocher and E. Gethner, Toward the rectilinear crossing number of K_n: new drawings, upper bounds, and asymptotics 262 (2003) 59– 77
Broughton, W. and G. McGuire, On the non-existence of quasi-3 designs 262 (2003) 79– 87
Brouwer, A.E., J.H. Koolen and M.H. Klin, A root graph that is locally the line graph of the Petersen graph 264 (2003) 13– 24
Brouwer, A.E., see A. Blokhuis 264 (2003) 3– 11
Bulatov, A.A. and P.M. Idziak, Counting Mal'tsev clones on small sets 268 (2003) 59– 80
Buratti, M. and A. Del Fra, Existence of cyclic k-cycle systems of the complete graph 261 (2003) 113–125
Burger, A.P. and C.M. Mynhardt, An improved upper bound for queens domination numbers 266 (2003) 119–131
Buşneag, D., On extensions of pseudo-valuations on Hilbert algebras 263 (2003) 11– 24

Cameron, K., R. Sritharan and Y. Tang, Finding a maximum induced matching in weakly chordal graphs 266 (2003) 133–142
Cameron, P.J., Multi-letter Youden rectangles from quadratic forms 266 (2003) 143–151
Cameron, P.J., Research problems from the 18th British Combinatorial Conference 266 (2003) 441–451
Cameron, P.J., see P.P. Alejandro 266 (2003) 47– 67
Camina, A.R., see D.R. Woodall 266 (2003) 1– 2
Cara, P., Truncations of inductively minimal geometries 267 (2003) 63– 74
Caro, Y. and R. Yuster, 2-connected graphs with small 2-connected dominating sets 269 (2003) 265–271
Cartwright, D.I., P. Solé and A. Żuk, Ramanujan geometries of type $\tilde{A}_n$ 269 (2003) 35– 43
Cauchie, S., Full embeddings of (α, β)-geometries in projective spaces—Part II 266 (2003) 153–183
Chang , A., On the largest eigenvalue of a tree with perfect matchings 269 (2003) 45– 63
Chang, G.J., see H.-G. Yeh 265 (2003) 297–310
Chang, Y. and Y. Miao, Constructions for optimal optical orthogonal codes 261 (2003) 127–139
Chartrand, G., D. Erwin, G.L. Johns and P. Zhang, Boundary vertices in graphs 263 (2003) 25– 34
Chartrand, G., D. Erwin, M.A. Henning, P.J. Slater and P. Zhang, Graphs of order n with locating-chromatic number $n-1$ 269 (2003) 65– 79
Chastand, M. and N. Polat, Reconstruction of infinite locally finite connected graphs 270 (2003) 61– 98
Chastand, M., Fiber-complemented graphs II. Retractions and endomorphisms 268 (2003) 81–101
Chen, C., F.K. Hwang, J.S. Lee and S.J. Shih, The existence of hyper-L triple-loop networks 268 (2003) 287–291
Chen, G.-L., see J.-H. Yin 270 (2003) 319–327
Chen, L. and N. Tokuda, n-Tokyoites' loop-line commuter problem 269 (2003) 81– 91
Cheon, G.-S., S.-G. Hwang and S.-Z. Song, Rook polynomials to and from permanents 264 (2003) 25– 36
Choi, D.-H. and J.D.H. Smith, Greedy loop transversal codes for correcting error bursts 264 (2003) 37– 43
Choi, J.Y. and J.D.H. Smith, On the unimodality and combinatorics of Bessel numbers 264 (2003) 45– 53
Choie, Y., see A. Bonnecaze 270 (2003) 43– 60
Chou, C.-Y., W. Wang and Xuding Zhu, Relaxed game chromatic number of graphs 262 (2003) 89– 98
Chow, T.Y., Symplectic matroids, independent sets, and signed graphs 263 (2003) 35– 45
Claesson, A., C.D. Godsil and D.G. Wagner, A permutation group determined by an ordered set 269 (2003) 273–279
Cockayne, E.J., O. Favaron, W. Goddard, P.J.P. Grobler and C.M. Mynhardt, Changing upper irredundance by edge addition 266 (2003) 185–193
Coffman, W.C., S.L. Hakimi and E. Schmeichel, Bounds for the chromatic number of graphs with partial information 263 (2003) 47– 59
Colbourn, C.J. and A.C.H. Ling, Graph decompositions with application to wavelength add-drop multiplexing for minimizing SONET ADMs 261 (2003) 141–156
Corteel, S. and C.D. Savage, Anti-Lecture Hall Compositions (Note) 263 (2003) 275–280
Czygrinow, A., see A. Bekmetjev 269 (2003) 21– 34

Damaschke, P., Linear-time recognition of bipartite graphs plus two edges 262 (2003) 99–112
Dankelmann, P. and R.C. Laskar, Factor domination and minimum degree 262 (2003) 113–119
Dankelmann, P., H.C. Swart and D.P. Day, On strong distances in oriented graphs 266 (2003) 195–201
Danziger, P. and E. Mendelsohn, Bicolour graphs of Steiner triple systems 261 (2003) 157–176
Day, D.P., see P. Dankelmann 266 (2003) 195–201
De Clerck, F., Partial and semipartial geometries: an update 267 (2003) 75– 86
DeDeo, M.R., Non-Ramanujancy of Euclidean graphs of order 2^r 265 (2003) 45– 57

Dejter, I.J., Equitable factorizations of Hamming shells 261 (2003) 177–187
Del Fra, A., see M. Buratti 261 (2003) 113–125
de Mier, A., see A. Márquez 266 (2003) 327–352
Deng, D., M. Greig and P.R.J. Östergård, More c-Bhaskar Rao designs with small block size 261 (2003) 189–208
Deng, D., R. Rees and H. Shen, Further results on nearly Kirkman triple systems with subsystems 270 (2003) 99–114
Deng, D., R. Rees and H. Shen, On the existence and application of incomplete nearly Kirkman triple systems with a hole of size 6 or 12 261 (2003) 209–233
de Resmini, M.J. and D. Jungnickel, Two infinite families of failed symmetric designs 261 (2003) 235–241
De Vito, P. and N. Melone, Ovoidal linear spaces 267 (2003) 87– 93
Dinitz, J.H., E.R. Lamken and A.C.H. Ling, Complementary partial resolution squares for Steiner triple systems 261 (2003) 243–254
Di Nola, A. and A. Lettieri, Finite BL-algebras 269 (2003) 93–112
Dobbertin, H., D. Mills, E. Nuria Müller, A. Pott and W. Willems, APN functions in odd characteristic 267 (2003) 95–112
Dobson, E., On isomorphisms of abelian Cayley objects of certain orders 266 (2003) 203–215
Donnelly, R.G., S.J. Lewis and R. Pervine, Constructions of representations of $o(2n+1,\mathbb{C})$ that imply Molev and Reiner–Stanton lattices are strongly Sperner 263 (2003) 61– 79
Dougherty, S.T., see A. Bonnecaze 270 (2003) 43– 60
Drápal , A., Near 2-groups yield an isomorphism with many fixed points 266 (2003) 217–228
Du, B., see F.E. Bennett 261 (2003) 69– 86
Du, B., see R.J.R. Abel 262 (2003) 1– 16
Duby, G., Countable ultrahomogeneous antimatroids of convex dimension 2 269 (2003) 113–125
Dugdale, J.K. and A.J.W. Hilton, The structure of totally critical graphs of odd order 266 (2003) 229–238
Durocher, S., see A. Brodsky 262 (2003) 59– 77
Duursma, I., Extremal weight enumerators and ultraspherical polynomials 268 (2003) 103–127
Dvořák, T., I. Havel and M. Mollard, On paths and cycles dominating hypercubes 262 (2003) 121–129

Edwards, K.J., see D.R. Woodall 266 (2003) 1– 2
Egawa, Y., M. Hagita, K. Kawarabayashi and H. Wang, Covering vertices of a graph by k disjoint cycles 270 (2003) 115–125
Eggar, M.H., A tournament problem (Note) 263 (2003) 281–288
Erwin, D., see G. Chartrand 263 (2003) 25– 34
Erwin, D., see G. Chartrand 269 (2003) 65– 79
Eschen, E.M., W.F. Klostermeyer and R. Sritharan, Planar domination graphs 268 (2003) 129–137

Fàbrega, J., see I. Pelayo 267 (2003) 229–246
Faina, G. and M. Giulietti, On small dense arcs in Galois planes of square order 267 (2003) 113–125
Favaron, O., G.H. Fricke, D. Pritikin and J. Puech, Irredundance and domination in kings graphs 262 (2003) 131–147
Favaron, O., see E.J. Cockayne 266 (2003) 185–193
Feng, Y.-Q. and J.H. Kwak, An infinite family of cubic one-regular graphs with unsolvable automorphism groups 269 (2003) 281–286
Ferrero, D., see C. Balbuena 269 (2003) 13– 20
Fertin, G., see N. Alon 262 (2003) 17– 25
Finizio, N.J., see R.J.R. Abel 261 (2003) 3– 26
Finizio, N.J., see R.J.R. Abel 268 (2003) 1– 19
Forbes, A.D., M.J. Grannell and T.S. Griggs, On colourings of Steiner triple systems 261 (2003) 255–276

Freni, S., Quasiparallelism in finite planar spaces 267 (2003) 127–142
Fricke, G.H., see O. Favaron 262 (2003) 131–147
Friedl, K. and L. Rónyai, Order shattering and Wilson's theorem 270 (2003) 127–136

Gaborit, P., J.-L. Kim and V. Pless, Decoding binary $R(2,5)$ by hand 264 (2003) 55– 73
Ge, G. and C.W.H. Lam, Bhaskar Rao designs with block size four 268 (2003) 293–298
Ge, G. and C.W.H. Lam, Resolvable group divisible designs with block size four and group size six 268 (2003) 139–151
Georges, J.P. and D.W. Mauro, Labeling trees with a condition at distance two 269 (2003) 127–148
Georgiou, S., see K. Betsumiya 262 (2003) 37– 58
Gethner, E., see A. Brodsky 262 (2003) 59– 77
Ghinelli, D., see A. Bichara 267 (2003) 1– 2
Giulietti, M., see G. Faina 267 (2003) 113–125
Goddard, W. and M.A. Henning, Nordhaus–Gaddum bounds for independent domination 268 (2003) 299–302
Goddard, W., see E.J. Cockayne 266 (2003) 185–193
Godsil, C.D., see A. Claesson 269 (2003) 273–279
Grannell, M.J., T.S. Griggs, V.P. Korzhik and J. Širáň, On the minimal nonzero distance between triangular embeddings of a complete graph 269 (2003) 149–160
Grannell, M.J., see A.D. Forbes 261 (2003) 255–276
Gravier, S., F. Maffray and B. Mohar, On a list-coloring problem 268 (2003) 303–308
Gravier, S., S. Klavar and M. Mollard, Isometric embeddings of subdivided wheels in hypercubes 269 (2003) 287–293
Gray, B.D., R. Mathon, T. Moran and A.P. Street, The spectrum of minimal defining sets of some Steiner systems 261 (2003) 277–284
Gray, I.D., J. MacDougall, J.P. McSorley and W.D. Wallis, Vertex-magic labeling of trees and forests 261 (2003) 285–298
Greig, M. and A. Rosa, Maximal arcs in Steiner systems $S(2,4,v)$ 267 (2003) 143–151
Greig, M. and D.H. Rees, Existence of balanced incomplete block designs for many sets of treatments 261 (2003) 299–324
Greig, M., see D. Deng 261 (2003) 189–208
Greig, M., see R.J.R. Abel 261 (2003) 3– 26
Greig, M., see R.J.R. Abel 266 (2003) 3– 36
Greig, M., see R.J.R. Abel 268 (2003) 1– 19
Griggs, T.S., see A.D. Forbes 261 (2003) 255–276
Griggs, T.S., see D.R. Woodall 266 (2003) 1– 2
Griggs, T.S., see M.J. Grannell 269 (2003) 149–160
Grobler, P.J.P., see E.J. Cockayne 266 (2003) 185–193
Grünewald, S., see B. Borovićanin 265 (2003) 31– 44
Grytczuk, J. and W. Śliwa, Non-repetitive colorings of infinite sets (Note) 265 (2003) 365–373
Gulliver, T.A., M. Harada and J.-L. Kim, Construction of new extremal self-dual codes 263 (2003) 81– 91
Gulliver, T.A., P.R.J. Östergård and N. Senkevitch, Optimal linear rate $\frac{1}{2}$ codes over $\mathbb{F}_5$ and $\mathbb{F}_7$ 265 (2003) 59– 70
Gulliver, T.A., see K. Betsumiya 262 (2003) 37– 58
Guo, V.J.W., A simple proof of Dixon's identity 268 (2003) 309–310
Guofei, Z., A note on graphs of class I (Note) 263 (2003) 339–345
Gutman, I., see B. Borovićanin 265 (2003) 31– 44

Hagita, M., see K. Ando 265 (2003) 23– 30
Hagita, M., see Y. Egawa 270 (2003) 115–125
Hah Lee, Y., Rough isometry and energy finite solutions of the Schrödinger operator on graphs 263 (2003) 167–177
Hakimi, S.L., see W.C. Coffman 263 (2003) 47– 59

Hanaki, A. and I. Miyamoto, Classification of association schemes of small order 264 (2003) 75– 80
Harada, M. and V.D. Tonchev, Self-orthogonal codes from symmetric designs with fixed-point-free automorphisms 264 (2003) 81– 90
Harada, M., see K. Betsumiya 262 (2003) 37– 58
Harada, M., see T.A. Gulliver 263 (2003) 81– 91
Harborth, H., see J.-P. Bode 266 (2003) 101–107
Harborth, M., see J.-P. Bode 266 (2003) 101–107
Harutyunyan, H.A. and A.L. Liestman, On the monotonicity of the broadcast function 262 (2003) 149–157
Havel, I., see T. Dvořák 262 (2003) 121–129
Havlicek, H. and C. Zanella, On embedded products of Grassmannians 267 (2003) 153–158
Havlicek, H., Veronese varieties over fields with non-zero characteristic: a survey 267 (2003) 159–173
Havlicek, H., see A. Bichara 267 (2003) 35– 43
Haynes, T.W., S.T. Hedetniemi, M.A. Henning and P.J. Slater, *H*-forming sets in graphs 262 (2003) 159–169
Hedetniemi, S.T., see M.A. Henning 266 (2003) 239–251
Hedetniemi, S.T., see T.W. Haynes 262 (2003) 159–169
Henning, M.A. and S.T. Hedetniemi, Defending the Roman Empire—A new strategy 266 (2003) 239–251
Henning, M.A., Total domination excellent trees 263 (2003) 93–104
Henning, M.A., see G. Chartrand 269 (2003) 65– 79
Henning, M.A., see S. Bau 262 (2003) 27– 36
Henning, M.A., see T.W. Haynes 262 (2003) 159–169
Henning, M.A., see W. Goddard 268 (2003) 299–302
Heuberger, C., On planarity and colorability of circulant graphs 268 (2003) 153–169
Hibi, T., see H. Ohsugi 268 (2003) 217–242
Hill, R. and C.P. Love, On the (22, 4)-arcs in PG(2, 7) and related codes 266 (2003) 253–261
Hilton, A.J.W., see J.K. Dugdale 266 (2003) 229–238
Hinrichs, A. and C. Richter, New sets with large Borsuk numbers 270 (2003) 137–147
Hoffman, D.G., C.C. Lindner and C.A. Rodger, A partial $2k$-cycle system of order n can be embedded in a $2k$-cycle system of order $kn + c(k), k \geqslant 3$, where $c(k)$ is a quadratic function of k 261 (2003) 325–336
Hoffman, D.G., see E.J. Billington 261 (2003) 87–111
Holt, F.B., Maximal nonrevisiting paths in simple polytopes 263 (2003) 105–128
Holton, D.A., see R.E.L. Aldred 269 (2003) 1– 11
Hotje, H., Skewaffine spaces in the language of distance spaces 267 (2003) 175–180
Hou, X.-D., Rings and constructions of partial difference sets 270 (2003) 149–176
Huang, Q., A classification of circulant DCI(CI)-digraphs of 2-power order 265 (2003) 71– 84
Huang, Y., Maximum genus of a graph in terms of its embedding properties 262 (2003) 171–180
Hurd, S.P. and D.G. Sarvate, An application of partition of indices to enclosings of triple systems 261 (2003) 337–346
Hurlbert, G., see A. Bekmetjev 269 (2003) 21– 34
Hwang, F.K., J.S. Lee, Y.C. Liu and U.G. Rothblum, Sortability of vector partitions 263 (2003) 129–142
Hwang, F.K., On Macula's error-correcting pool designs 268 (2003) 311–314
Hwang, F.K., see C. Chen 268 (2003) 287–291
Hwang, S.-G., see G.-S. Cheon 264 (2003) 25– 36

Idziak, P.M., see A.A. Bulatov 268 (2003) 59– 80
Ivanov, A.A. and D.V. Pasechnik, c-Extensions of the $F_4(2)$-building 264 (2003) 91–110

Jang, Y. and J. Park, On a MacWilliams type identity and a perfectness for a binary linear $(n, n-1, j)$-poset code 265 (2003) 85–104
Jeurissen, R.H., On the determinants of divisor matrices (Note) 265 (2003) 375–383

Ji, L. and L. Zhu, Constructions for Steiner quadruple systems with a spanning block design 261 (2003) 347–360
Jimbo, M., see T. Adachi 265 (2003) 1– 11
Johns, G.L., see G. Chartrand 263 (2003) 25– 34
Jørgensen, L.K., Non-existence of directed strongly regular graphs 264 (2003) 111–126
Jungnickel, D. and L. Storme, Maximal partial spreads in PG(3,4) and maximal sets of mutually orthogonal latin squares of order 16 261 (2003) 361–371
Jungnickel, D., see M.J. de Resmini 261 (2003) 235–241
Jurišić, A., AT4 family and 2-homogeneous graphs 264 (2003) 127–148

Kageyama, S., see T. Adachi 265 (2003) 1– 11
Kaneko, A., see K. Ando 265 (2003) 23– 30
Kano, M., see K. Ando 265 (2003) 23– 30
Kawarabayashi, K., see K. Ando 265 (2003) 23– 30
Kawarabayashi, K., see K. Ando 267 (2003) 3– 11
Kawarabayashi, K., M.D. Plummer and A. Saito, On two equimatchable graph classes 266 (2003) 263–274
Kawarabayashi, K., see Y. Egawa 270 (2003) 115–125
Keedwell, A.D. and V.A. Shcherbacov, Construction and properties of (r,s,t)-inverse quasigroups. I 266 (2003) 275–291
Khosrovshahi, G.B. and B. Tayfeh-Rezaie, Root cases of large sets of t-designs 263 (2003) 143–155
Kim, D.S. and J.G. Lee, A MacWilliams-type identity for linear codes on weak order 262 (2003) 181–194
Kim, H.K., see J. Ahn 268 (2003) 21– 30
Kim, J.-L., see P. Gaborit 264 (2003) 55– 73
Kim, J.-L., see T.A. Gulliver 263 (2003) 81– 91
Kim, J.S., see J. Ahn 268 (2003) 21– 30
Kim, M., see J. Ahn 268 (2003) 21– 30
Klavar, S. and A. Lipovec, Partial cubes as subdivision graphs and as generalized Petersen graphs 263 (2003) 157–165
Klavar, S., see S. Gravier 269 (2003) 287–293
Klazar, M., see J. Němeek 265 (2003) 411–416
Klin, M.H., see A.E. Brouwer 264 (2003) 13– 24
Klostermeyer, W.F., see E.M. Eschen 268 (2003) 129–137
Knauer, U., see M. Böttcher 270 (2003) 329–331
Kojima, T., Bandwidth of the composition of two graphs 270 (2003) 299–309
Koolen, J.H., see A.E. Brouwer 264 (2003) 13– 24
Korchmáros, G. and A. Sonnino, Complete arcs arising from conics 267 (2003) 181–187
Korzhik, V.P., see M.J. Grannell 269 (2003) 149–160
Koukouvinos, C., see K. Betsumiya 262 (2003) 37– 58
Kovács, I., On automorphisms of Cayley-digraphs of abelian groups 267 (2003) 189–196
Kreher, D.L., A.C.H. Ling, R.S. Rees and C.W.H. Lam, A note on {4}-GDDs of type 2^{10} 261 (2003) 373–376
Kremer, D. and W.C. Shiu, Finite transition matrices for permutations avoiding pairs of length four patterns 268 (2003) 171–183
Kremer, D., Postscript: "Permutations with forbidden subsequences and a generalized Schröder number" [Discrete Mathematics 218 (2000) 121–130] 270 (2003) 333–334
Kwak, J.H., see Y.-Q. Feng 269 (2003) 281–286

Lai, H.-J. and X. Li, Small cycle cover of 2-connected cubic graphs 269 (2003) 295–302
Lam, C.W.H., see D.L. Kreher 261 (2003) 373–376
Lam, C.W.H., see G. Ge 268 (2003) 139–151
Lam, C.W.H., see G. Ge 268 (2003) 293–298
Lamken, E.R., see J.H. Dinitz 261 (2003) 243–254
Laskar, R.C., see P. Dankelmann 262 (2003) 113–119

Lauri, J., Constructing graphs with several pseudosimilar vertices or edges 267 (2003) 197–211
Lee, J.G., see D.S. Kim 262 (2003) 181–194
Lee, J.S., see C. Chen 268 (2003) 287–291
Lee, J.S., see F.K. Hwang 263 (2003) 129–142
Lehner, F., Cumulants, lattice paths, and orthogonal polynomials 270 (2003) 177–191
Lemos, M., Matroids with many common bases 270 (2003) 193–205
Lemos, M., Uniqueness of the decomposition of the rank function of a 2-polymatroid 269 (2003) 161–179
Lettieri, A., see A. Di Nola 269 (2003) 93–112
Levenshtein, V.I., A universal bound for a covering in regular posets and its application to pool testing 266 (2003) 293–309
Levit, V.E. and E. Mandrescu, On α^+-stable König–Egerváry graphs 263 (2003) 179–190
Lewis, S.J., see R.G. Donnelly 263 (2003) 61– 79
Lewis, S.J., see R.J.R. Abel 268 (2003) 1– 19
Li, J. and Y. Ma, Complete-factors and (g,f)-factors (Note) 265 (2003) 385–391
Li, J., see B.-Y. Zhang 268 (2003) 273–286
Li, J.-S., see J.-H. Yin 270 (2003) 319–327
Li, R. and R.H. Schelp, Every 3-connected distance claw-free graph is Hamilton-connected 268 (2003) 185–197
Li, R., Hamiltonicity of 3-connected quasi-claw-free graphs (Note) 265 (2003) 393–399
Li, W., Graphs with regular monoids 265 (2003) 105–118
Li, X. and C.-Q. Zhang, Chords of longest circuits in 3-connected graphs 268 (2003) 199–206
Li, X., see H.-J. Lai 269 (2003) 295–302
Liang, W., see Y. Yuansheng 269 (2003) 249–258
Liaw, S.-C., Z. Pan and X. Zhu, Construction of K_n-minor free graphs with given circular chromatic number 263 (2003) 191–206
Liestman, A.L., see H.A. Harutyunyan 262 (2003) 149–157
Liestman, A.L., see N. Alon 262 (2003) 17– 25
Lih, K.-W., W.-F. Wang and X. Zhu, Coloring the square of a K_4-minor free graph 269 (2003) 303–309
Lindner, C.C., see D.G. Hoffman 261 (2003) 325–336
Ling, A.C.H., An application of splittable 4-frames to coloring of $K_{n,n}$ 261 (2003) 377–382
Ling, A.C.H., see C.J. Colbourn 261 (2003) 141–156
Ling, A.C.H., see D.L. Kreher 261 (2003) 373–376
Ling, A.C.H., see J.H. Dinitz 261 (2003) 243–254
Lipovec, A., see S. Klavar 263 (2003) 157–165
Liu, H. and L. Sun, The bondage and connectivity of a graph (Note) 263 (2003) 289–293
Liu, W., Suzuki groups and automorphisms of finite linear spaces 269 (2003) 181–190
Liu, Y.C., see F.K. Hwang 263 (2003) 129–142
Liu, Z. and H. Shen, Embeddings of almost resolvable triple systems 261 (2003) 383–398
Liu, Z.-G., Some operator identities and q-series transformation formulas 265 (2003) 119–139
Lou, D., see R.E.L. Aldred 269 (2003) 1– 11
Love, C.P., see R. Hill 266 (2003) 253–261
Loyola, J.O., Sequences with group products from finite regular semigroups 265 (2003) 141–158
Lozin, V.V., see V.E. Alekseev 265 (2003) 351–356
Luczak, M.J. and C. McDiarmid, Concentration for locally acting permutations 265 (2003) 159–171
Lunardon, G., see A. Bichara 267 (2003) 1– 2
Lv, X. and J. Mao, Total domination and least domination in a tree (Note) 265 (2003) 401–404

Ma, Y., see J. Li 265 (2003) 385–391
MacDougall, J., see I.D. Gray 261 (2003) 285–298
Maffray, F., see S. Gravier 268 (2003) 303–308
Mahmoodian, E.S., see R. Bean 267 (2003) 13– 21
Mandrescu, E., see V.E. Levit 263 (2003) 179–190
Manoussakis, Y., see A. Benkouar 263 (2003) 1– 10

Mao, J., see X. Lv 265 (2003) 401–404
Marcote, X., I. Pelayo and C. Balbuena, Every cubic cage is quasi 4-connected 266 (2003) 311–320
Marcote, X., see I. Pelayo 267 (2003) 229–246
Marczyk, A. and M. Woźniak, Cycles in hamiltonian graphs of prescribed maximum degree 266 (2003) 321–326
Márquez, A., A. de Mier, M. Noy and M.P. Revuelta, Locally grid graphs: classification and Tutte uniqueness 266 (2003) 327–352
Martin, N., Complete bipartite factorisations of $K_{n,n}$ 266 (2003) 353–375
Maruta, T., Extendability of linear codes over GF(q) with minimum distance d, gcd(d, q) = 1 266 (2003) 377–385
Matamala, M., Constructibility of speed one signal on cellular automata 262 (2003) 195–209
Mathon, R., see B.D. Gray 261 (2003) 277–284
Mauro, D.W., see J.P. Georges 269 (2003) 127–148
Mazzocca, F., see A. Bichara 267 (2003) 1– 2
McDiarmid, C., On the span in channel assignment problems: bounds, computing and counting 266 (2003) 387–397
McDiarmid, C., see M.J. Luczak 265 (2003) 159–171
McGuire, G., see W. Broughton 262 (2003) 79– 87
McKee, T.A., Dualizing chordal graphs 263 (2003) 207–219
McKee, T.A., Restricted circular-arc graphs and clique cycles 263 (2003) 221–231
McKee, T.A., Subgraph trees in graph theory 270 (2003) 3– 12
McMahon, E.W., B.A. Shimkus and J.A. Wolfson, Chordal graphs and the characteristic polynomial 262 (2003) 211–219
McSorley, J.P., see I.D. Gray 261 (2003) 285–298
Mechebbek, M., see H. Ait Haddadene 266 (2003) 37– 40
Melone, N., see P. De Vito 267 (2003) 87– 93
Mendelsohn, E., see P. Danziger 261 (2003) 157–176
Meng, J. and Z. Zhang, Number of minimum vertex cuts in transitive graphs 270 (2003) 311–317
Meyerowitz, A., Cycle-balance conditions for distance-regular graphs 264 (2003) 149–165
Miao, Y., see Y. Chang 261 (2003) 127–139
Miao, Z., Improper choosability of graphs embedded on the surface of genus r 269 (2003) 311–314
Mierendorff, H., Magic twin body stars generated from chains of prismoids 268 (2003) 315–323
Milazzo, L., Z. Tuza and V. Voloshin, Strict colorings of Steiner triple and quadruple systems: a survey 261 (2003) 399–411
Mills, D., see H. Dobbertin 267 (2003) 95–112
Miyamoto, I., see A. Hanaki 264 (2003) 75– 80
Mohar, B., see S. Gravier 268 (2003) 303–308
Mollard, M., see S. Gravier 269 (2003) 287–293
Mollard, M., see T. Dvořák 262 (2003) 121–129
Moran, T., see B.D. Gray 261 (2003) 277–284
Moreira, M.L., see R.F. Booth 266 (2003) 109–118
Moriyama, S. and F. Takeuchi, Incremental construction properties in dimension two—shellability, extendable shellability and vertex decomposability (Note) 263 (2003) 295–296
Munarini, E. and N.Z. Salvi, Scattered subsets 267 (2003) 213–228
Munemasa, A., see E. Bannai 264 (2003) 1– 1
Muzychuk, M., An elementary abelian group of large rank is not a CI-group 264 (2003) 167–185
Mynhardt, C.M., see A.P. Burger 266 (2003) 119–131
Mynhardt, C.M., see E.J. Cockayne 266 (2003) 185–193

Nakamigawa, T., A partition problem on colored sets (Note) 265 (2003) 405–410
Napolitano, V., Erratum to "On a class of finite linear spaces with few lines" [Discrete Mathematics 270 (2003) 207–224] 270 (2003) 225–226
Napolitano, V., On a class of finite linear spaces with few lines 270 (2003) 207–224
Naserasr, R. and R. Škrekovski, The Petersen graph is not 3-edge-colorable—a new proof 268 (2003) 325–326

Negami, S., Composite planar coverings of graphs 268 (2003) 207–216
Němeek, J. and M. Klazar, A bijection between nonnegative words and sparse *abba*-free partitions (Note) 265 (2003) 411–416
Noy, M., see A. Márquez 266 (2003) 327–352
Nuria Müller, E., see H. Dobbertin 267 (2003) 95–112

Ohsugi, H. and T. Hibi, Normalized volumes of configurations related with root systems and complete bipartite graphs 268 (2003) 217–242
Ollis, M.A. and D.A. Preece, Sectionable terraces and the (generalised) Oberwolfach problem 266 (2003) 399–416
Ollis, M.A., see R.A. Bailey 266 (2003) 69– 86
Östergård, P.R.J., see D. Deng 261 (2003) 189–208
Östergård, P.R.J., see T.A. Gulliver 265 (2003) 59– 70
Oxley, J., The structure of a 3-connected matroid with a 3-separating set of essential elements 265 (2003) 173–187
Ozeki , M., Notes on the shadow process in self–dual codes 264 (2003) 187–200

Pan, Z., see S.-C. Liaw 263 (2003) 191–206
Park, J., see Y. Jang 265 (2003) 85–104
Pascasio, A.A., An inequality in character algebras 264 (2003) 201–209
Pasechnik, D.V., see A.A. Ivanov 264 (2003) 91–110
Pasini, A., see R.J. Blok 267 (2003) 45– 62
Paulraja, P., see R. Balakrishnan 268 (2003) 49– 58
Pêcher, A., Partitionable graphs arising from near-factorizations of finite groups 269 (2003) 191–218
Pelayo, I., X. Marcote, C. Balbuena and J. Fàbrega, Using a progressive withdrawal procedure to study superconnectivity in digraphs 267 (2003) 229–246
Pelayo, I., see X. Marcote 266 (2003) 311–320
Perepelitsa, I.G., Bounds on the chromatic number of intersection graphs of sets in the plane 262 (2003) 221–227
Pervine, R., see R.G. Donnelly 263 (2003) 61– 79
Petrović, M., see B. Borovićanin 265 (2003) 31– 44
Pinto, M.R., see R.F. Booth 266 (2003) 109–118
Pitkethly, J.G., Inherent dualisability 269 (2003) 219–237
Pizaa, M.A., The icosahedron is clique divergent 262 (2003) 229–239
Platzeck, M.I., see I. Assem 269 (2003) 333–355
Pless, V., see P. Gaborit 264 (2003) 55– 73
Plummer, M.D., see K. Kawarabayashi 266 (2003) 263–274
Polat, N., see M. Chastand 270 (2003) 61– 98
Polverino, O., Linear representation of Buekenhout–Metz unitals 267 (2003) 247–252
Pott, A., see H. Dobbertin 267 (2003) 95–112
Pouzet, M. and M. Sobrani, The order type of the collection of finite series-parallel posets 265 (2003) 189–211
Praeger, C.E., Quasiprimitivity: structure and combinatorial applications 264 (2003) 211–224
Preece, D.A., see I. Anderson 261 (2003) 31– 58
Preece, D.A., see M.A. Ollis 266 (2003) 399–416
Preece, D.A., see R.A. Bailey 266 (2003) 69– 86
Pretzel, O., On reorienting graphs by pushing down maximal vertices—II 270 (2003) 227–240
Prisner, E., The recognition problem for line bigraphs 268 (2003) 243–256
Pritikin, D., see O. Favaron 262 (2003) 131–147
Puech, J., see O. Favaron 262 (2003) 131–147

Quattrocchi, G., Embedding handcuffed designs in D-designs, where D is the triangle with attached edge 261 (2003) 413–434

Rautenbach, D. and L. Volkmann, Extremal subgraphs with respect to vertex degree bounds (Note) 263 (2003) 297–303

Rautenbach, D. and L. Volkmann, On $\alpha_r\gamma_s(k)$-perfect graphs 270 (2003) 241–250
Read, R.C., Chain polynomials of graphs 265 (2003) 213–235
Redondo, M.J., see I. Assem 269 (2003) 333–355
Rees, D.H., see M. Greig 261 (2003) 299–324
Rees, D.H., see R.J.R. Abel 266 (2003) 3– 36
Rees, R., see D. Deng 261 (2003) 209–233
Rees, R., see D. Deng 270 (2003) 99–114
Rees, R.S., see D.L. Kreher 261 (2003) 373–376
Revuelta, M.P., see A. Márquez 266 (2003) 327–352
Richter, C., see A. Hinrichs 270 (2003) 137–147
Rodger, C.A., see D.G. Hoffman 261 (2003) 325–336
Rónyai, L., see K. Friedl 270 (2003) 127–136
Rosa, A., see M. Greig 267 (2003) 143–151
Rothblum, U.G., see F.K. Hwang 263 (2003) 129–142

Saad, R., see A. Benkouar 263 (2003) 1– 10
Saito, A., see K. Ando 265 (2003) 23– 30
Saito, A., see K. Kawarabayashi 266 (2003) 263–274
Saito, A., see N. Ananchuen 265 (2003) 13– 21
Saito, A., see R.E.L. Aldred 269 (2003) 1– 11
Salazar, G., Small meshes of curves and their role in the analysis of optimal meshes 263 (2003) 233–246
Salvi, N.Z., see E. Munarini 267 (2003) 213–228
Sane, S., see L.M. Batten 261 (2003) 59– 67
Sarkar, A., see B. Bollobás 265 (2003) 357–363
Sárközy, G.N., S.M. Selkow and E. Szemerédi, On the number of Hamiltonian cycles in Dirac graphs 265 (2003) 237–250
Sarvate, D.G., see S.P. Hurd 261 (2003) 337–346
Sato, I., Decomposition formulas of zeta functions of graphs and digraphs (Note) 263 (2003) 305–309
Savage, C.D., I. Shields and D.B. West, On the existence of Hamiltonian paths in the cover graph of $M(n)$ 262 (2003) 241–252
Savage, C.D., see S. Corteel 263 (2003) 275–280
Schelp, R.H., see R. Li 268 (2003) 185–197
Schmeichel, E., see W.C. Coffman 263 (2003) 47– 59
Schocker, M., Idempotents for derangement numbers 269 (2003) 239–248
Selkow, S.M., see G.N. Sárközy 265 (2003) 237–250
Senkevitch, N., see T.A. Gulliver 265 (2003) 59– 70
Shalaby, N., The existence of near-Rosa and hooked near-Rosa sequences 261 (2003) 435–450
Sharir, M. and S. Smorodinsky, On neighbors in geometric permutations 268 (2003) 327–335
Shcherbacov, V.A., see A.D. Keedwell 266 (2003) 275–291
Shen, H., see D. Deng 261 (2003) 209–233
Shen, H., see D. Deng 270 (2003) 99–114
Shen, H., see Z. Liu 261 (2003) 383–398
Shermer, T.C., see N. Alon 262 (2003) 17– 25
Shi, L., Upper bounds for Ramsey numbers 270 (2003) 251–265
Shields, I., see C.D. Savage 262 (2003) 241–252
Shih, S.J., see C. Chen 268 (2003) 287–291
Shimkus, B.A., see E.W. McMahon 262 (2003) 211–219
Shin, D.-J. and W. Sung, A new Kloosterman sum identity over F_{2^m} for odd m 268 (2003) 337–341
Shiu, W.C., see D. Kremer 268 (2003) 171–183
Širáň, J., see M.J. Grannell 269 (2003) 149–160
Širáň, J., see R.E.L. Aldred 261 (2003) 27– 30
Širáň, M., see R.E.L. Aldred 261 (2003) 27– 30
Škrekovski, R., see R. Naserasr 268 (2003) 325–326
Slater, P.J., see G. Chartrand 269 (2003) 65– 79

Slater, P.J., see T.W. Haynes 262 (2003) 159–169
Śliwa, W., see J. Grytczuk 265 (2003) 365–373
Smith, J.D.H., see D.-H. Choi 264 (2003) 37– 43
Smith, J.D.H., see J.Y. Choi 264 (2003) 45– 53
Smorodinsky, S., see M. Sharir 268 (2003) 327–335
Sobrani, M., see M. Pouzet 265 (2003) 189–211
Solé, P., see A. Bonnecaze 270 (2003) 43– 60
Solé, P., see D.I. Cartwright 269 (2003) 35– 43
Song, S., see E. Bannai 264 (2003) 1– 1
Song, S.-Z., see G.-S. Cheon 264 (2003) 25– 36
Sonnino, A., see G. Korchmáros 267 (2003) 181–187
Sritharan, R., see E.M. Eschen 268 (2003) 129–137
Sritharan, R., see K. Cameron 266 (2003) 133–142
Stacho, L., see N. Alon 262 (2003) 17– 25
Steiner, W., Generalized de Bruijn digraphs and the distribution of patterns in α-expansions 263 (2003) 247–268
Steinsky, B., Enumeration of labelled chain graphs and labelled essential directed acyclic graphs 270 (2003) 267–278
Storme, L., see D. Jungnickel 261 (2003) 361–371
Street, A.P., see B.D. Gray 261 (2003) 277–284
Sun, L., see H. Liu 263 (2003) 289–293
Sun, Z.-W., General congruences for Bernoulli polynomials 262 (2003) 253–276
Sung, W., see D.-J. Shin 268 (2003) 337–341
Suzuki, H., see K. Wang 264 (2003) 225–236
Swart, H.C., see P. Dankelmann 266 (2003) 195–201
Szemerédi, E., see G.N. Sárközy 265 (2003) 237–250

Takeuchi, F., see S. Moriyama 263 (2003) 295–296
Tan, J., On Cheeger inequalities of a graph 269 (2003) 315–323
Tang, Y., see K. Cameron 266 (2003) 133–142
Tayfeh-Rezaie, B., see G.B. Khosrovshahi 263 (2003) 143–155
Terwilliger, P., see E. Bannai 264 (2003) 1– 1
Thas, K., Finite flag-transitive projective planes: a survey and some remarks 266 (2003) 417–429
Thomason, A.G., see D.R. Woodall 266 (2003) 1– 2
Tokuda, N., see L. Chen 269 (2003) 81– 91
Tonchev, V.D., see A. Betten 267 (2003) 23– 33
Tonchev, V.D., see M. Harada 264 (2003) 81– 90
Tóth, C.D., Illumination of polygons by 45°-floodlights 265 (2003) 251–260
Trepode, S., see I. Assem 269 (2003) 333–355
Tripathi, A. and S. Vijay, A note on a theorem of Erdős & Gallai (Note) 265 (2003) 417–420
Truss, J.K., The automorphism group of the random graph: four conjugates good, three conjugates better 268 (2003) 257–271
Tuza, Z., see L. Milazzo 261 (2003) 399–411

van Willigenburg, S., Properties of the descent algebras of type *D* 269 (2003) 325–332
Vijay, S., see A. Tripathi 265 (2003) 417–420
Volkmann, L., see D. Rautenbach 263 (2003) 297–303
Volkmann, L., see D. Rautenbach 270 (2003) 241–250
Voloshin, V., see L. Milazzo 261 (2003) 399–411

Wagner, D.G., see A. Claesson 269 (2003) 273–279
Wallis, W.D., see I.D. Gray 261 (2003) 285–298
Wang, H., see Y. Egawa 270 (2003) 115–125
Wang, K. and H. Suzuki, Weakly distance-regular digraphs 264 (2003) 225–236
Wang, Q., see J. Yuan 263 (2003) 323–329

Wang, T., see X. Zhao 265 (2003) 323–335
Wang, W., see C.-Y. Chou 262 (2003) 89– 98
Wang, W.-F., see K.-W. Lih 269 (2003) 303–309
Wehrung, F., Direct decompositions of non-algebraic complete lattices (Note) 263 (2003) 311–321
West, D.B., see C.D. Savage 262 (2003) 241–252
Whitehead, C. and N. Zagaglia Salvi, Observability of the extended Fibonacci cubes 266 (2003) 431–440
Willems, W., see H. Dobbertin 267 (2003) 95–112
Wolfson, J.A., see E.W. McMahon 262 (2003) 211–219
Woodall, D.R., D. Bedford, A.R. Camina, K.J. Edwards, T.S. Griggs and A.G. Thomason, Preface 266 (2003) 1– 2
Woźniak, M., see A. Marczyk 266 (2003) 321–326
Wu, Z., On the number of spikes over finite fields 265 (2003) 261–296

Yeh, H.-G. and G.J. Chang, Centers and medians of distance-hereditary graphs 265 (2003) 297–310
Yin, J., A new proof of a Colbourn–Rosa problem 261 (2003) 451–458
Yin, J.-H., J.-S. Li and G.-L. Chen, The smallest degree sum that yields potentially ${}_kC_\ell$-graphic sequences 270 (2003) 319–327
Young, P.T., Congruences for degenerate number sequences 270 (2003) 279–289
Yu, M.-L., see R. Balakrishnan 268 (2003) 49– 58
Yuan, J. and Q. Wang, Partition the vertices of a graph into induced matchings (Note) 263 (2003) 323–329
Yuansheng, Y. and W. Liang, The minimum number of vertices with girth 6 and degree set $D = \{r, m\}$ 269 (2003) 249–258
Yuster, R., see Y. Caro 269 (2003) 265–271

Zagaglia Salvi, N., see C. Whitehead 266 (2003) 431–440
Zaks, J., Erratum to "The Beckman–Quarles theorem for rational spaces" [Discrete Math. 265 (2003) 311–320] 265 (2003) 321–321
Zaks, J., The Beckman–Quarles theorem for rational spaces 265 (2003) 311–320
Zanella, C., see A. Bichara 267 (2003) 35– 43
Zanella, C., see H. Havlicek 267 (2003) 153–158
Zhang, B.-Y. and J. Li, An improvement of the two-line algorithm for proving q-hypergeometric identities 268 (2003) 273–286
Zhang, C.-Q., see X. Li 268 (2003) 199–206
Zhang, H., see F.E. Bennett 261 (2003) 69– 86
Zhang, H., see L. Zhu 268 (2003) 343–349
Zhang, P., see G. Chartrand 263 (2003) 25– 34
Zhang, P., see G. Chartrand 269 (2003) 65– 79
Zhang, Z., see J. Meng 270 (2003) 311–317
Zhao, X. and T. Wang, Some identities related to reciprocal functions 265 (2003) 323–335
Zhao, Y., On the edge-reconstruction of graphs embedded in surfaces IV (Note) 263 (2003) 331–338
Zhu, L. and H. Zhang, Completing the spectrum of r-orthogonal Latin squares 268 (2003) 343–349
Zhu, L., see L. Ji 261 (2003) 347–360
Zhu, X., Circular chromatic numbers of a class of distance graphs 265 (2003) 337–350
Zhu, X., see K.-W. Lih 269 (2003) 303–309
Zhu, X., see S.-C. Liaw 263 (2003) 191–206
Zhu, Xuding, see C.-Y. Chou 262 (2003) 89– 98
Żuk, A., see D.I. Cartwright 269 (2003) 35– 43